

C&D Technologies Battery Cross Reference

Manufacturer	Model	5	10	15 Minute	Height	Width	Length	Weight
C&D Technologies Inc.	UPS12-100MR	172	117	91	6.86	5.17	6.54	21.00
Power Battery	PRC/TC-1225	115	88	71	4.94	6.81	6.50	21.50
Energys - Data Safe HX	12HX100	197	127	100	6.90	4.90	6.50	22.00
GNB - Sprinter	S12V120	242	151	117	5.89	6.58	6.82	27.00
Power Battery	PRC/TC-1235L	244	157	119	7.19	5.18	7.71	26.70
East Penn Manufacturing Co., Inc.	U1HR1500	247	159	119	6.68	5.21	7.75	27.00
C&D Technologies Inc.	UPS12-150MR	288	192	148	6.80	5.19	7.76	27.30
Energys - Data Safe HX	12HX135R	265	172	135	6.70	5.10	7.70	26.00
Energys - Data Safe HX	12HX135B	265	172	135	7.10	5.10	7.80	26.00
Energys - Data Safe HX	12HX150	295	191	150	6.70	6.50	7.80	32.00
GNB - Sprinter	S12V170	323	215	167	7.01	6.58	7.81	36.00
East Penn Manufacturing Co., Inc.	45HR2000	308	216	168	8.26	5.47	8.89	40.00
Power Battery	PRC/TC-1250S	298	225	175	8.65	5.30	8.60	35.30
C&D Technologies Inc.	UPS12-210MR	376	257	206	8.07	5.48	9.00	40.00
Energys - Data Safe HX	12HX205	408	273	204	8.10	5.50	8.90	43.00
Power Battery	PRC/TC-1255S	368	256	196	9.00	5.50	9.00	37.00
NorthStar Battery Company	12-180	372.5	239.5	180	6.93	6.50	7.76	35.30
C&D Technologies Inc.	UPS12-300MR	550	382	300	8.01	6.83	10.27	58.40
Power Battery	PRC/TC-1290S	484	365	284	8.85	6.67	10.20	60.60
NorthStar Battery Company	12-330	618.1	393.1	297	6.93	6.50	13.00	59.50
Energys - Data Safe HX	12HX300	561	373	284	8.20	6.90	10.20	60.00
East Penn Manufacturing Co., Inc.	24HR3000	478	331	253	8.24	6.56	10.20	56.00
GNB - Sprinter	S12V285	543	365	285	8.80	6.85	10.25	61.00
C&D Technologies Inc.	UPS12-350MR	620	440	350	8.06	6.83	12.04	67.40
Energys Data Safe HX	12HX330	637	435	336	8.40	6.80	11.80	71.00
Power Battery	PRC/TC-12100S	543	409	318	8.85	6.68	12.00	67.20
GNB - Sprinter	S12V300	654	415	306	8.80	6.85	10.25	63.00
NorthStar Battery Company	12-270	605.8	404.5	310	7.90	6.80	10.30	60.20
East Penn Manufacturing Co., Inc.	27HR3500	580	408	314	8.24	6.56	12.01	66.00
C&D Technologies Inc.	UPS12-400MR	720	505	400	8.52	6.80	13.42	75.80
GNB - Sprinter	S12V370	723	484	373	8.80	6.85	12.05	74.00
East Penn Manufacturing Co., Inc.	31HR4000	713	496	377	8.70	6.75	12.93	74.00
Energys Data Safe HX	12HX400	722	498	381	8.30	6.80	13.30	80.00
NorthStar Battery Company	12-370	746	513	400	8.40	6.80	13.40	83.30
Power Battery	PRC/TC-12120S	753	512	400	9.25	6.76	13.50	78.50
C&D Technologies Inc.	UPS12-490MR	773	590	'&&	10.93	6.80	13.57	100.00
Power Battery	PRC/TC-12150C	913	650	505	10.87	6.76	13.50	103.50
GNB - Sprinter	S12V500	864	615	505	10.90	6.76	13.55	106.00
Energys - Data Safe HX	12HX505	872	653	506	10.70	6.80	13.30	103.00
East Penn Manufacturing Co., Inc.	31HR5000	760	588	475	11.20	6.77	13.46	98.00
C&D Technologies Inc.	UPS12-540MR	868	654	537	10.93	6.80	13.57	100.00
Power Battery	TC-12160C	928	692	560	10.87	6.76	13.50	110.00
Energys - Data Safe HX	12HX540	929	691	540	10.70	6.80	13.30	106.00
NorthStar Battery Company	12-475	934	678	540	10.80	6.80	13.60	109.50
C&D Technologies Inc.	UPS12-620MR	940	750	620	8.94	6.97	12.63	72.00
GNB - Sprinter	S6V740	1446	970	746	8.80	6.85	12.05	74.00
Energys - Data Safe HX	6GH800	1320	977	780	8.30	6.80	13.40	80.00
Power Battery	TC-6225S	1228	932	755	11.60	7.38	10.70	79.00

POWER BATTERY / CSB BATTERY

CROSS REFERENCE GUIDE



MANUFACTURER	MODEL #	TYPE	VOLTAGE	WATTS PER CELL @ 15 MINUTE RATE 1.67ECV	AMP HOURS @ 20 HOUR RATE	DIMMENSIONS IN INCHES (LXWXH)	WEIGHT (lbs.)
Power Battery	PRC/TC-1225	AGM	12	70.83	24.00	6.50 X 6.81 X 4.94	21.50
CSB	HRL 12110W	AGM	12	110.00	28.00	6.53 X 4.92 X 6.89	21.83
Power Battery	PRC/TC-1235L	AGM	12	130.83	33.00	7.71 X 5.18 X 7.19	26.70
CSB	HRL 12150W	AGM	12	150.00	38.00	7.70 X 5.12 X 6.77	25.90
Power Battery	PRC/TC-1255S	AGM	12	206.00	55.00	9.00 X 5.50 X 9.00	37.00
CSB	HRL 12200W	AGM	12	200.00	50.00	8.97 X 5.45 X 8.16	38.80
Power Battery	PRC/TC-1265S	AGM	12	184.50	63.00	10.20 X 6.67 X 8.85	50.70
Power Battery	PRC/TC-1290S	AGM	12	300.00	76.00	10.20 X 6.67 X 8.85	60.60
CSB	HRL 12280W	AGM	12	280.00	70.00	10.28 X 6.83 X 8.43	56.88
Power Battery	PRC/TC-12100S	AGM	12	350.00	91.00	12.00 X 6.68 X 8.85	71.90
CSB	HRL 12330W	AGM	12	330.00	83.00	12.15 X 6.85 X 8.44	65.47
Power Battery	PRC/TC-12120S	AGM	12	400.00	110.00	13.50 X 6.76 X 9.25	81.80
CSB	HRL 12390W	AGM	12	390.00	98.00	13.46 X 6.69 X 8.57	72.75
Power Battery	PRC/TC-12140S	AGM	12	475.00	130.00	13.50 X 6.76 X 10.87	100.10
Power Battery	PRC/TC-12150S	AGM	12	505.00	136.00	13.50 X 6.76 X 10.87	100.10
CSB	HRL 12500W	AGM	12	500.00	125.00	13.50 X 6.69 X 10.93	100.75

POWER BATTERY / EAST PENN (DEKA) BATTERY

CROSS REFERENCE GUIDE



MANUFACTURER	MODEL #	TYPE	VOLTAGE	WATTS PER CELL @ 15 MINUTE RATE 1.67ECV	AMP HOURS @ 20 HOUR RATE	DIMMENSIONS IN INCHES (LXWXH)	WEIGHT (lbs.)
Power Battery	PRC/TC-1235L	AGM	12	130.83	33.00	7.71 X 5.18 X 7.19	26.70
East Penn (Deka)	U1HR1500	AGM	12	119.00	29.20	7.71 X 5.19 X 6.93	27.00
Power Battery	PRC/TC-1250S	AGM	12	174.66	50.00	8.61 X 5.29 X 8.79	35.30
Power Battery	PRC/TC-1255S	AGM	12	206.00	55.00	9.00 X 5.50 X 9.00	37.00
East Penn (Deka)	45HR2000	AGM	12	168.00	48.40	8.84 X 5.31 X 8.26	40.00
Power Battery	PRC/TC-1265S	AGM	12	184.50	63.00	10.20 X 6.67 X 8.85	50.70
Power Battery	PRC/TC-1290S	AGM	12	300.00	76.00	10.20 X 6.67 X 8.85	60.60
East Penn (Deka)	24HR3000	AGM	12	253.00	73.00	10.20 X 6.80 X 8.24	56.00
Power Battery	PRC/TC-12100S	AGM	12	350.00	91.00	12.00 X 6.68 X 8.85	71.90
East Penn (Deka)	27HR3500	AGM	12	314.00	88.20	12.01 X 6.80 X 8.24	66.00
Power Battery	PRC/TC-12120S	AGM	12	400.00	110.00	13.50 X 6.76 X 9.25	81.80
East Penn (Deka)	31HR4000	AGM	12	377.00	93.60	12.93 X 6.75 X 8.70	74.00
Power Battery	PRC/TC-12140S	AGM	12	475.00	130.00	13.50 X 6.76 X 10.87	100.10
Power Battery	PRC/TC-12150S	AGM	12	505.00	136.00	13.50 X 6.76 X 10.87	100.10
East Penn (Deka)	31HR5000	AGM	12	475.00	133.20	13.46 X 6.77 X 11.20	98.00

POWER BATTERY / ENERSYS BATTERY CROSS REFERENCE GUIDE



MANUFACTURER	MODEL #	TYPE	VOLTAGE	WATTS PER CELL @ 15 MINUTE RATE 1.67ECV	AMP HOURS @ 20 HOUR RATE	DIMMENSIONS IN INCHES (LXWXH)	WEIGHT (lbs.)
Power Battery	PRC/TC-1235L	AGM	12	130.83	33.00	7.71 X 5.18 X 7.19	26.70
Enersys	HX135	AGM	12	135.00	N/A	7.70 X 5.10 X 7.10	27.10
Power Battery	PRC/TC-1255S	AGM	12	206.00	55.00	9.00 X 5.50 X 9.00	37.00
Enersys	HX205	AGM	12	204.00	N/A	9.00 X 5.50 X 8.20	43.00
Power Battery	PRC/TC-1290S	AGM	12	300.00	76.00	10.20 X 6.67 X 8.85	60.60
Enersys	HX300	AGM	12	284.00	N/A	10.30 X 6.90 X 8.30	60.00
Power Battery	PRC/TC-12100S	AGM	12	350.00	91.00	12.00 X 6.68 X 8.85	71.90
Enersys	HX330	AGM	12	336.00	N/A	12.00 X 6.90 X 8.40	71.00
Power Battery	PRC/TC-12120S	AGM	12	400.00	110.00	13.50 X 6.76 X 9.25	81.80
Enersys	HX400	AGM	12	381.00	N/A	13.40 X 6.80 X 8.50	80.00
Power Battery	PRC/TC-12150S	AGM	12	505.00	136.00	13.50 X 6.76 X 10.87	100.10
Enersys	HX500	AGM	12	506.00	N/A	13.40 X 6.80 X 10.80	110.00
Power Battery	PRC/TC-6225S	AGM	6	686.00	208.00	10.70 X 7.38 X 11.60	77.20
Enersys	HX800	AGM	6	780.00	N/A	13.40 X 6.80 X 8.50	80.00

POWER BATTERY / GNB (EXIDE) BATTERY

CROSS REFERENCE GUIDE



MANUFACTURER	MODEL #	TYPE	VOLTAGE	WATTS PER CELL @ 15 MINUTE RATE 1.67ECV	AMP HOURS @ 20 HOUR RATE	DIMMENSIONS IN INCHES (LXWXH)	WEIGHT (lbs.)
Power Battery	PRC/TC-1235L	AGM	12	130.83	33.00	7.71 X 5.18 X 7.19	26.70
GNB (Exide)	S12V120	AGM	12	117.00	N/A	6.82 X 6.58 X 5.89	27.00
Power Battery	PRC/TC-1250S	AGM	12	174.66	50.00	8.61 X 5.29 X 8.79	35.30
Power Battery	PRC/TC-1255S	AGM	12	206.00	55.00	9.00 X 5.50 X 9.00	37.00
GNB (Exide)	S12V170	AGM	12	167.00	N/A	7.81 X 6.58 X 7.01	36.00
Power Battery	PRC/TC-1265S	AGM	12	184.50	63.00	10.20 X 6.67 X 8.85	50.70
GNB (Exide)	S12V285	AGM	12	285.00	N/A	10.25 X 6.85 X 8.80	61.00
Power Battery	PRC/TC-1290S	AGM	12	300.00	76.00	10.20 X 6.67 X 8.85	60.60
GNB (Exide)	S12V300	AGM	12	306.00	N/A	10.25 X 6.85 X 8.80	63.00
Power Battery	PRC/TC-12100S	AGM	12	350.00	91.00	12.00 X 6.68 X 8.85	71.90
GNB (Exide)	S12V370	AGM	12	373.00	N/A	12.05 X 6.85 X 8.80	74.00
Power Battery	PRC/TC-12150S	AGM	12	505.00	136.00	13.50 X 6.76 X 10.87	100.10
GNB (Exide)	S12V500	AGM	12	505.00	N/A	13.55 X 6.76 X 10.90	106.00
Power Battery	PRC/TC-6225S	AGM	6	686.00	208.00	10.70 X 7.38 X 11.60	77.20
GNB (Exide)	S6V740	AGM	6	746.00	N/A	12.05 X 6.85 X 8.80	74.00

POWER BATTERY / NORTHSTAR BATTERY

CROSS REFERENCE GUIDE



MANUFACTURER	MODEL #	TYPE	VOLTAGE	WATTS PER CELL @ 15 MINUTE RATE 1.67ECV	AMP HOURS @ 20 HOUR RATE	DIMENSIONS IN INCHES (LXWXH)	WEIGHT (lbs.)
Power Battery	PRC/TC-1250S	AGM	12	174.66	50.00	8.61 X 5.29 X 8.79	35.30
Power Battery	PRC/TC-1255S	AGM	12	206.00	55.00	9.00 X 5.50 X 9.00	37.00
Northstar	NSB 12-180	AGM	12	180.00	46.00	7.76 X 6.50 X 6.93	36.00
Power Battery	PRC/TC-1290S	AGM	12	300.00	76.00	10.20 X 6.67 X 8.85	60.60
Northstar	NSB 12-330	AGM	12	310.00	68.00	13.03 X 6.60 X 6.93	60.00
Northstar	NSB 12-270	AGM	12	339.00	72.00	10.27 X 6.80 X 7.87	60.00
Power Battery	PRC/TC-12100S	AGM	12	350.00	91.00	12.00 X 6.68 X 8.85	71.90
Northstar	NSB 12-330	AGM	12	310.00	68.00	13.03 X 6.60 X 6.93	60.00
Power Battery	PRC/TC-12120S	AGM	12	400.00	110.00	13.50 X 6.76 X 9.25	81.80
Northstar	NSB 12-370	AGM	12	420.00	95.00	13.42 X 6.80 X 8.39	83.30
Power Battery	PRC/TC-12150S	AGM	12	505.00	136.00	13.50 X 6.76 X 10.87	100.10
Northstar	NSB 12-475	AGM	12	513.00	125.00	13.57 X 6.80 X 10.81	110.00

POWER BATTERY / STERLING BATTERY

CROSS REFERENCE GUIDE



MANUFACTURER	MODEL #	TYPE	VOLTAGE	WATTS PER CELL @ 15 MINUTE RATE 1.67ECV	AMP HOURS @ 20 HOUR RATE	DIMMENSIONS IN INCHES (LXWXH)	WEIGHT (lbs.)
Power Battery	PRC/TC-1225	AGM	12	70.83	24.00	6.50 X 6.81 X 4.94	21.50
Sterling Battery	HA28-106 FR	AGM	12	106.00	28.00	6.50 X 4.96 X 6.85	22.50
Power Battery	PRC/TC-1235L	AGM	12	130.83	33.00	7.71 X 5.18 X 7.19	26.70
Sterling Battery	HA35-145 FR	AGM	12	145.00	35.00	7.72 X 5.16 X 6.57	25.40
Power Battery	PRC/TC-1250S	AGM	12	174.66	50.00	8.61 X 5.29 X 8.79	35.30
Power Battery	PRC/TC-1255S	AGM	12	206.00	55.00	9.00 X 5.50 X 9.00	37.00
Sterling Battery	HA50-170 FR	AGM	12	170.00	50.00	9.02 X 5.43 X 8.35	37.50
Power Battery	PRC/TC-1265S	AGM	12	184.50	63.00	10.20 X 6.67 X 8.85	50.70
Power Battery	PRC/TC-1290S	AGM	12	300.00	76.00	10.20 X 6.67 X 8.85	60.60
Sterling Battery	HA70-270 FR	AGM	12	270.00	70.00	10.24 X 6.65 X 8.46	55.10
Power Battery	PRC/TC-12100S	AGM	12	350.00	91.00	12.00 X 6.68 X 8.85	71.90
Sterling Battery	HA90-310 FR	AGM	12	315.00	90.00	12.09 X 6.65 X 8.46	67.50
Power Battery	PRC/TC-12120S	AGM	12	400.00	110.00	13.50 X 6.76 X 9.25	81.80
Sterling Battery	HA100-380 FR	AGM	12	398.00	100.00	12.91 X 6.77 X 8.66	75.40
Power Battery	PRC/TC-12140S	AGM	12	475.00	130.00	13.50 X 6.76 X 10.87	100.10
Sterling Battery	HA120-430 FR	AGM	12	435.00	120.00	13.03 X 6.89 X 9.41	77.20
Power Battery	PRC/TC-12150S	AGM	12	505.00	136.00	13.50 X 6.76 X 10.87	100.10
Sterling Battery	HA140-520 FR	AGM	12	520.00	140.00	13.43 X 6.81 X 11.30	104.70
Power Battery	PRC/TC-6200S	AGM	6	618.67	208.00	10.70 X 7.38 X 11.60	77.20
Sterling Battery	HA200-6620 FR	AGM	6	625.00	200.00	12.68 X 6.97 X 9.06	75.00
Power Battery	SLF-12250	AGM	12	838.33	220.00	21.10 X 8.46 X 10.10	162.00
Sterling Battery	HA220-750 FR	AGM	12	750.00	218.40	20.60 X 9.45 X 9.35	141.00